

CE Certificate

EC Declaration of Conformity of Thermal Insulating Products for Building Applications

Name of the product: **PureOne by URSA®**

Company name and address: URSA Deutschland GmbH
Carl- Friedrich- Benz- Str. 46-48
D- 04509 Delitzsch

Plant and lines: plant V, lines 1 and 2

Name and address of the notified body: MPA Stuttgart
Materialprüfungsanstalt der Universität
Stuttgart
Otto- Graf- Institut
Pfaffenwaldring 4
D- 70569 Stuttgart

Number of the notified body: 0672

Herewith it is confirmed that the products listed in table 1 meet the requirements of mandate M/ 103, given under the EU Construction Products Directive 89/ 106/ EEC, are subject of a factory production control and that the required tests and assessments based on EN 13162 were realized.



Heinz- Jakob Holland
URSA Deutschland GmbH



i.v. Thomas Köhler
URSA Deutschland GmbH

Table 1

List of products

Names of the product	Thicknesses [mm]	Reaction to fire EN 13501-1	Lambda _D [W/m²K]		CE declaration code				
					DS(T+)	WL(P)	MU1		AF5
Pure 40 RN Dämmfilz Pure 40 RN Trennwandfilz Pure 40 RN Trennwandfilz FONO Pure 40 RN Spannfilz	40-200	A1	0,040	T2	DS(T+)	-	MU1	-	AF5
	40-200	A1	0,040	T2	DS(T+)	-	MU1	-	AF5
	40-200	A1	0,040	T2	DS(T+)	-	MU1	-	AF5
	80-200	A1	0,040	T2	DS(T+)	-	MU1	-	AF5
Pure 40 PN Trennwandplatte Pure 40 PN Fassadenkassetten-dämmplatte Pure 40 PN Fassadendämmplatte Pure 40 PN Kerndämmplatte	40-200	A1	0,040	T3	DS(T+)	-	MU1	-	AF5
	40-200	A1	0,040	T3	DS(T+)	WL(P)	MU1	-	AF5
	30-200	A1	0,040	T3	DS(T+)	WL(P)	MU1	-	AF5
	30-200	A1	0,040	T3	DS(T+)	WL(P)	MU1	-	AF5
Pure 39 RN SILVER Pure 39 RN Trennwandfilz Pure 39 PN SILENTIO	40-200	A1	0,039	T2	DS(T+)	WL(P)	MU1	-	AF5
	40-200	A1	0,039	T2	DS(T+)	-	MU1	-	AF5
	40-200	A1	0,039	T3	DS(T+)	-	MU1	-	AF5
Pure 38 RN Dämmfilz Pure 38 RN Spannfilz Pure 38 RN FIT	80-200	A1	0,038	T2	DS(T+)	-	MU1	-	AF5
	80-200	A1	0,038	T2	DS(T+)	-	MU1	-	AF5
	80-200	A1	0,038	T2	DS(T+)	-	MU1	-	AF5
Pure 38 PN Trennwandplatte Pure 38 PN Akustikdämmplatte Pure 38 PN Fassadendämmplatte Pure 38 PN Kerndämmplatte	40-200	A1	0,038	T3	DS(T+)	-	MU1	-	AF5
	20-200	A1	0,038	T3	DS(T+)	-	MU1	-	AF5
	30-200	A1	0,038	T3	DS(T+)	WL(P)	MU1	-	AF5
	30-200	A1	0,038	T3	DS(T+)	WL(P)	MU1	-	AF5
Pure 37 RN Dämmfilz Pure 37 RN Spannfilz	50-200	A1	0,037	T2	DS(T+)	-	MU1	-	AF5
	50-200	A1	0,037	T2	DS(T+)	-	MU1	-	AF5
Pure 37 PN Trennwandplatte Pure 37 PN Fassadendämmplatte Pure 37 PN Kerndämmplatte	30-200	A1	0,037	T3	DS(T+)	-	MU1	-	AF5
	30-200	A1	0,037	T3	DS(T+)	WL(P)	MU1	-	AF5
	30-200	A1	0,037	T3	DS(T+)	WL(P)	MU1	-	AF5
Pure 35 RN Dämmfilz Pure 35 RN Dachgeschossfilz Pure 35 RN Spannfilz Pure 35 RN FIT	40-200	A1	0,035	T2	DS(T+)	-	MU1	-	AF5
	40-200	A1	0,035	T2	DS(T+)	-	MU1	-	AF5
	50-200	A1	0,035	T2	DS(T+)	-	MU1	-	AF5
	50-200	A1	0,035	T2	DS(T+)	-	MU1	-	AF5

